



MISSOURI BOTANICAL GARDEN









MISSOURI BOTANICAL GARDEN




MISSOURI BOTANICAL GARDEN













HHIT Building, DE E

ST. LOUIS, MO.

MISSOURI BOTAMICAL GARDEN MISSOURI BOTAMIN PAPERS




1 Callions var stretati, 69.8 77.3 57.10F. 56.4°F. 54.3 At 9 P. M. Mean o. Year. tricity of Temperature, and of here, at the hours of 6, 9, 12, 3 based upon daily observations at and 1862, at St. Louis, Mo. 74.3 39.7 Dec. At 6 P. M. 65.1 59.3 69.0 46.0 76.6 57.9 Oct. 74.3 57.2 7.9 RELATIVE HUMIDITY. the Atmosphere ELECTRICITY At 12 M 60.9 60.3 ATIVE 76.9 ositive 64.1 61.5 Humidity 8.6 1861 1861




MISSOURI BOTANICAL GARDEN MISSOURI BOTANICA PAPERS

GEORGE ENGELMANN PAPERS

	Jan. Heb. March April July July August Sept Oct. Nov Dec		V. Positi	
2046	1861. 179 162 162 163 162 162 173 175	Posi	ve or N	112 191
1883	1862. 179 166 179 166 179 179 179 179 179 179 179 179 179 179	ositive ctricity.	Negative	211 23
78	524158312563	Nega	Electri	0 259
67	0-130-1-862-20-25-1-862	5 5	city in	265 351
59	6 20 6 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	No Elect	the Obse	550 S.
225	1862 20 20 21 20 11 16 17	H	rvatio	E.
420	34 35 36 37 38 38 38 38 38 38 38	Highest	ms of '61	
52°	35 40° 35 48 35 35	Positive ricity.	& °62.	50










ENGELMANN PAPERS MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL


copyright reserved


GARDEN

cm














L' Compressors #6JA? Mother Mexiso, Gray 16 mit B. 11 318 Sifference of compressors & Bultitus
see Meyer in Linneer III (1828) MISSOURI


copyright reserved cm

BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
SEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN


Lauren Compossons H. Milad. Gray Cyclan. (HOSK) Meda Varqueria Ing (acifornin Sin allo Mat Le Fortwayele, Anjour






MISSOURI BOTANICAL GARDEN


breok



Plat. Schiel & Depp. Mexit. Linnea VI. 41 Schlechte lail & Chamiss revus. 959. 2. compressus HBK. ? 1. p. 188. Sperianie by Mexerani, Almballi, similliona sed releur, moneghyller! Othjoura freaturque des des des autur Ad nadiser Motti, Origibe 1/917. Nances ad nipas laras Leguns de Huatulara subsalsi Let.




MISSOURI BOTANICAL GARDEN



Ad. Hearly 1.141 (1827)


James compresses of Sellier perquame affikisest, tamen liftere videteer Sapo conference Sepales puelo augustionibus exterioribus accuminates her murroneletis Capsala rely rein manguren superante Distribution geographes a Mayor - dinace 3. 369 (1828) Judicomprenay & Belling L'ecomponn, sepula longion augustion, spice magis atta sepula itterion exterioules forme et longitul. (: bellere letives et oblassiones et brevives) Caps. mature calque pauls brevior (- bellico longion) augulis acutis (augulis desoletis) I cap. compressus










Luneur compresses #5318. nov. qui. 1. 235 Celmo aphyllo compreno ento floriby Inbenility 6-aadris lariai's calgorinis arceminates Red de monte et. Ohigomen horizontele repens ---Pedeneli subterni tifi's Zesq "polliraves. Hong d'Stauler - -Calquer Carriace Courerlette arccourantelace consavee medi nignofers rester, margine Diaphane - Tres exteriors pende Stylen elongeter.









Corner of Second and Walnut Streets,

M. T. C. I. C. I.

MISSOURI BOTANICAL GARDERS
MISSOURI BOTANICAL PAPERS

8806

